

Poly Processing Company
 Incremental Capacity Sheet for Upright Tanks

Tank: 1000 Gallon Upright Safe-Tank

Print Date: 10/01/02

Outside Diameter = 69.5 in
 Shell Length = 63 in
 Calculated Capacity = 1021 gal

| Inches | Gallons | Inches | Gallons | | | |
|--------|---------|--------|---------|--|--|--|
| 1 | 16 | 41 | 664 | | | |
| 2 | 32 | 42 | 681 | | | |
| 3 | 49 | 43 | 697 | | | |
| 4 | 65 | 44 | 713 | | | |
| 5 | 81 | 45 | 729 | | | |
| 6 | 97 | 46 | 745 | | | |
| 7 | 113 | 47 | 762 | | | |
| 8 | 130 | 48 | 778 | | | |
| 9 | 146 | 49 | 794 | | | |
| 10 | 162 | 50 | 810 | | | |
| 11 | 178 | 51 | 827 | | | |
| 12 | 194 | 52 | 843 | | | |
| 13 | 211 | 53 | 859 | | | |
| 14 | 227 | 54 | 875 | | | |
| 15 | 243 | 55 | 891 | | | |
| 16 | 259 | 56 | 908 | | | |
| 17 | 276 | 57 | 924 | | | |
| 18 | 292 | 58 | 940 | | | |
| 19 | 308 | 59 | 956 | | | |
| 20 | 324 | 60 | 972 | | | |
| 21 | 340 | 61 | 989 | | | |
| 22 | 357 | 62 | 1005 | | | |
| 23 | 373 | 63 | 1021 | | | |
| 24 | 389 | | | | | |
| 25 | 405 | | | | | |
| 26 | 421 | | | | | |
| 27 | 438 | | | | | |
| 28 | 454 | | | | | |
| 29 | 470 | | | | | |
| 30 | 486 | | | | | |
| 31 | 502 | | | | | |
| 32 | 519 | | | | | |
| 33 | 535 | | | | | |
| 34 | 551 | | | | | |
| 35 | 567 | | | | | |
| 36 | 583 | | | | | |
| 37 | 600 | | | | | |
| 38 | 616 | | | | | |
| 39 | 632 | | | | | |
| 40 | 648 | | | | | |

NOTE: The above values are not intended for input or output metering.